

DEVILBISS iSystem pro

SPRAY GUN SET UP SELECTOR: Gun Inlet Pressure 2.0 bar or as stated
 LACKDATENBLATT: Eingangsdruck: ca. 2.0 bar wie unten angegeben
 PISTOLET ET TABLEAU DES REGLAGES: Pression à l'entrée du pistolet 2.0 bar ou comme indiqué
 SCHEDA ALLESTIMENTO AEROGRAFO: pressione aria 2,0 bar o come indicato
 CONFIGURACIONES DE PISTOLAS: Presión a la entrada de la pistola 2.0 bar o según lo indicado

SPECTRAL
 COLOR TECHNOLOGY



PRi Pro



GLi Pro



GLi Pro



GLi Pro



GLi Pro



SPi Pro

| CATEGORY | MATERIAL |
|----------------------------|----------------------|
| WASH PRIMER | UNDER 345 |
| EPOXY PRIMER WET-ON-WET | UNDER 385 |
| NON SANDING PRIMER | UNDER 325 WET-ON-WET |
| | UNDER 335 WET-ON-WET |
| | UNDER 365 WET-ON-WET |
| FILLERS | UNDER 335 |
| | UNDER 355 |
| | UNDER 365 |
| 2K SINGLE STAGE | SPECTRAL 2K |
| SOLVENTBORNE BASECOAT | SPECTRAL BASE |
| WATERBORNE BASECOAT | SPECTRAL WAVE |
| CLEARCOATS | KLAR 505/555 |
| | KLAR 565 |
| | KLAR 575 |
| | KLAR 535 MAT |

| PRIMER | BASE | CLEAR | BASE | CLEAR | SMART |
|---------------------------------|-------------------------------|--|-----------------------------|------------------------------------|------------------------------|
| - | - | TE10 - 1.2/1.3 | - | T1 - 1.2/1.3 (1.5 - 2.0 Bar) | - |
| - | - | TE10 - 1.2 (1.5 Bar) | - | T1 - 1.2 (1.5 - 2.0 Bar) | - |
| - | - | TE20 - 1.3 (1.5 - 2.0 Bar) | - | T2 - 1.3 (1.5 - 2.0 Bar) | - |
| - | - | TE10/TE20 - 1.2/1.3 (1.5 - 2.0 Bar) | - | T1/T2 - 1.2/1.3 (1.5 - 2.0 Bar) | - |
| - | - | TE10/TE20 - 1.3 (1.5 - 2.0 Bar) | - | T1/T2 - 1.3 (1.5 - 2.0 Bar) | - |
| P1 - 1.6/1.8 (1.5 - 2.0 bar) | - | - | - | - | - |
| P1 - 1.6/1.8 (1.5 - 2.0 bar) | - | - | - | - | - |
| P1 - 1.6/1.8 (1.5 - 2.0 bar) | - | - | - | - | - |
| - | - | TE10/TE20 - 1.2/1.4 | - | T110/T1/T2 - 1.2/1.4 | - |
| - | HV30 - 1.3 (1.5 - 2.0 bar) | - | H1 - 1.3 (1.5 - 2.0 bar) | - | HS1 - 0.8 (1.5 - 2.0 bar) |
| - | HV30 - 1.3 (1.5 - 2.0 bar) | - | H1 - 1.3 (1.5 - 2.0 bar) | - | HS1 - 0.8 (1.5 - 2.0 bar) |
| - | - | TE10/TE20 - 1.2/1.3 (1.5 - 2.0 Bar) | - | T110/T1/T2 - 1.2/1.3 | HS1 - 0.8 (1.5 - 2.0 bar) |
| - | - | TE10/TE20 - 1.2/1.3 (1.5 - 2.0 Bar) | - | T110/T1/T2 - 1.2/1.3 | TS1 - 1.0 (1.5 - 2.0 bar) |
| - | - | TE10/TE20 - 1.2/1.4 (1.5 - 2.0 Bar) | - | T110/T1/T2 - 1.2/1.4 | TS1 - 1.0 (1.5 - 2.0 bar) |
| - | - | TE20 - 1.2/1.4 (1.5 - 2.0 Bar) | - | T2 - 1.2/1.4 | TS1 - 1.0 (1.5 - 2.0 bar) |